

Languages, Regular Expressions, and Finite Automata

Alphabets and Strings

- an *alphabet* is a finite, non-empty set of *symbols*
- a *string* over an alphabet is a finite sequence of symbols from that alphabet
 - a sequence – the order matters
 - two strings are equal only if they have exactly the same symbols in the same order (implies that they have the same length)
- convention
 - letters from the beginning of the English alphabet (*a, b, c*, etc) refer to individual symbols
 - letters from the end of the alphabet (*u, v, w*, etc) refer to strings

String Operations

- *length* is the number of symbols, written $|x|$
- *concatenation* appends one string to another, written xy
 - associative – $(xy)z = x(yz)$
 - not commutative – $xy \neq yx$ unless $x = y$ or $x = \epsilon$ and/or $y = \epsilon$
- the *reverse* string contains the same symbols in the opposite order, written x^R
- the *empty string* ϵ (sometimes λ) contains no symbols
 - $|\epsilon| = 0$
 - $\epsilon^R = \epsilon$
 - $\epsilon x = x\epsilon = x$

Languages


- Σ^* is the set of strings made up of 0 or more symbols from alphabet Σ i.e. the set of all strings over Σ
 - Σ^* is countably infinite
 - list the strings in the order of strings with 0 symbols, strings with 1 symbol, strings with 2 symbols, etc – each group of length k strings is finite
- a *language* over alphabet Σ is a subset of Σ^*
 - a language over Σ is an element of $\mathcal{P}(\Sigma^*)$ – any set of strings over Σ is a language over Σ
- a language can be finite or infinite
- there are an uncountable number of languages over Σ

Operations on Languages

- languages are sets, so \cup , \cap , and $\bar{}$ (complement) operations apply
- the *concatenation* of two languages S, T
 $ST = \{st \mid s \in S \wedge t \in T\}$
 - like the concatenation of strings, associative but not commutative
- S^k = language S concatenated to itself k times i.e. the set of strings formed from k strings of S
 - $S^0 = \{\epsilon\}$ – the set of strings formed from 0 strings
- the *Kleene closure* $S^* = S^0 \cup S^1 \cup S^2 \cup \dots$ is the set of all strings formed from concatenating 0 or more strings from S
 - $*$ = *Kleene star*

Stephen Kleene

- 1909-1994
- American mathematician
- last name commonly pronounced KLEE-nee or KLEEN
- Kleene pronounced it KLAY-nee
- known for
 - recursion theory (a branch of mathematical logic)
 - Kleene's recursion theorem
 - contributions to the foundations of theoretical computer science
 - Kleene hierarchy, Kleene algebra, Kleene fixed-point theorem
 - regular expressions



1. Let $S = \{\epsilon, ab, abab\}$ and $T = \{aa, aba, abba, abbaa, \dots\}$. Find the following:
a) S^2 b) S^3 c) S^* d) ST e) TS

2. The *reverse* of a language L is defined to be $L^R = \{x^R \mid x \in L\}$. Find S^R and T^R for the S and T in the preceding problem.

3. Give an example of a language L such that $L = L^*$.