



Pushdown Automata

- a *pushdown automaton* is a finite-state automaton with a stack which acts as a memory



- each transition $\sigma, x/y$ represents consuming symbol σ from the input string, popping x from the stack, and pushing y onto the stack
- a string is accepted if the machine finishes in an accepting state with an empty stack




Pushdown Automata

Definition 4.4. A pushdown automaton M is specified by six components $M = (Q, \Sigma, \Lambda, q_0, \partial, F)$ where

- Q is a finite set of states.
 - Σ is an alphabet. Σ is the *input alphabet* for M .
 - Λ is an alphabet. Λ is the *stack alphabet* for M .
 - $q_0 \in Q$ is the *start state* of M .
 - $F \subseteq Q$ is the set of *final or accepting* states in M .
 - ∂ is the set of transitions in M . ∂ can be taken to be a finite subset of the set $(Q \times (\Sigma \cup \{\epsilon\}) \times \Lambda^*) \times (Q \times \Lambda^*)$. An element $((q_1, \sigma, x), (q_2, y))$ of ∂ represents a transition from state q_1 to state q_2 in which M reads σ from its input string, pops x from the stack, and pushes y onto the stack.
- } the symbols used in the stack do not have to be the same as those in the language accepted

1. Identify the context-free language that is accepted by each of the following pushdown automata. Explain your answers.




2. Let B be the language over the alphabet $\{ (,) \}$ that consists of strings of parentheses that are balanced in the sense that every left parenthesis has a matching right parenthesis. Examples include $()$, $(())$, $((()) () ())$, and the empty string. Find a deterministic pushdown automaton with a single state that accepts the language B . Explain how your automaton works, and explain the circumstances in which it will *fail* to accept a given string of parentheses.

Deterministic Pushdown Automata

- a pushdown automaton is *deterministic* if there is no circumstance under which two different transition rules can apply
 - ϵ -transitions are allowed if they are the only transitions from a state

Definition 4.5. Let L be a language over an alphabet Σ , and let $\$$ be a symbol that is not in Σ . We say that L is a **deterministic context-free language** if there is a deterministic pushdown automaton that accepts the language $L\$$ (which is equal to $\{w\$ \mid w \in L\}$).

- a deterministic context-free language can be parsed efficiently
- there are context-free languages that are not deterministic context-free
- why the $\$$?



- Find a deterministic pushdown automaton that accepts the language $\{w c w^R \mid w \in \{a, b\}^*\}$.
- Show that the language $\{a^n b^m \mid n \neq m\}$ is deterministic context-free.
- Show that the language $L = \{w \in \{a, b\}^* \mid n_a(w) > n_b(w)\}$ is deterministic context-free.

- Suppose that L is language over an alphabet Σ . Suppose that there is a deterministic pushdown automaton that accepts L . Show that L is deterministic context-free. That is, show how to construct a deterministic pushdown automaton that accepts the language $L\$$. (Assume that the symbol $\$$ is not in Σ .)